




D 702 - 703




D 702 - 703 B14





M 702 - 603





M 702 - 703 B14





D/M 702 - 703 B5





D 702 - 703 PAM B5/B14





D 702 - 703 W



M 702 - 703 PAM B5/B14





M 702 - 703 W





| W ~ K <sub>R</sub> |     |
|--------------------|-----|
| D/M 702            | 155 |
| D/M 703            | 150 |

D/M 702 - 703 B5 PAM B5/B14



D/M 702 - 703 B5 W



|                    | PAM B5 | Øa2 | Øb2 | Øe2 | f2  | Øs2 | Ød1 | l1  | t1   | u1 | o   |
|--------------------|--------|-----|-----|-----|-----|-----|-----|-----|------|----|-----|
| D/M 702<br>D/M 703 | 100    | 250 | 180 | 215 | 5.5 | 10  | 28  | 62  | 31.3 | 8  | 76  |
|                    | 112    | 250 | 180 | 215 | 5.5 | 10  | 28  | 62  | 31.3 | 8  | 76  |
|                    | 132    | 300 | 230 | 265 | 5.5 | 10  | 38  | 82  | 41.3 | 10 | 101 |
|                    | 160    | 350 | 250 | 300 | 7   | 14  | 42  | 112 | 45.3 | 12 | 148 |
|                    | 180    | 350 | 250 | 300 | 7   | 14  | 48  | 112 | 51.8 | 14 | 148 |
|                    | 200    | 400 | 300 | 350 | 7   | 14  | 55  | 112 | 59.3 | 16 | 185 |

| ~ K <sub>R</sub> |         |         |
|------------------|---------|---------|
| PAM B5           | D/M 702 | D/M 703 |
| 100              | 142     | 146     |
| 112              | 142     | 146     |
| 132              | 150     | 154     |
| 160              | 159     | 164     |
| 180              | 160     | 165     |
| 200              | 168     | 172     |

|                    | PAM B14 | Øa2 | Øb2 | Øe2 | f2 | Øs2 | Ød1 | l1 | t1   | u1 | o   |
|--------------------|---------|-----|-----|-----|----|-----|-----|----|------|----|-----|
| D/M 702<br>D/M 703 | 100     | 160 | 110 | 130 | 5  | 9   | 28  | 64 | 31.3 | 8  | 76  |
|                    | 112     | 160 | 110 | 130 | 5  | 9   | 28  | 64 | 31.3 | 8  | 76  |
|                    | 132     | 200 | 130 | 165 | 5  | 11  | 38  | 84 | 41.3 | 10 | 101 |

| ~ K <sub>R</sub> |         |         |
|------------------|---------|---------|
| PAM B14          | D/M 702 | D/M 703 |
| 100              | 142     | 145     |
| 112              | 142     | 145     |
| 132              | 148     | 152     |

| Редуктор                                                                                                                                                                                                                                                                                                                                                                                                         | i      | 4 - пол.<br>50 Гц<br>1400 об/мин<br>n2[ об/мин] | Ма макс<br>f <sub>B</sub> =1<br>4 - пол.<br>[Нм] | P <sub>1</sub> макс W f <sub>B</sub> ≥ 1 |             |                 |                    | IEC - PAM |     |     |     |     |     |  |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------------------------------------------|--------------------------------------------------|------------------------------------------|-------------|-----------------|--------------------|-----------|-----|-----|-----|-----|-----|--|--|
|                                                                                                                                                                                                                                                                                                                                                                                                                  |        |                                                 |                                                  | 4 - пол.<br>1400 об/мин<br>[кВт]         | FR1<br>[кН] | FR2 (M)<br>[кН] | FR2 (D,KS)<br>[кН] |           |     |     |     |     |     |  |  |
| <b>D 703</b><br><b>M 703</b><br><br><br>+<br><b>IEC - PAM</b><br><br>        | 227.11 | 6.2                                             | 5249                                             | 3.60                                     | 4.3         | 36.0            | 19.0               | 100       | 112 | 132 |     |     |     |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 201.97 | 6.9                                             | 5316                                             | 4.10                                     | 4.3         | 36.0            | 19.0               | 100       | 112 | 132 | 160 | 180 |     |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 181.39 | 7.7                                             | 5357                                             | 4.60                                     | 4.3         | 36.0            | 19.0               | 100       | 112 | 132 | 160 | 180 |     |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 166.88 | 8.4                                             | 5357                                             | 5.00                                     | 4.3         | 36.0            | 19.0               | 100       | 112 | 132 | 160 | 180 |     |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 149.74 | 9.3                                             | 5384                                             | 5.60                                     | 4.3         | 36.0            | 19.0               | 100       | 112 | 132 | 160 | 180 |     |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 137.76 | 10.2                                            | 5307                                             | 6.00                                     | 4.3         | 36.0            | 19.0               | 100       | 112 | 132 | 160 | 180 |     |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 126.53 | 11.1                                            | 5362                                             | 6.60                                     | 4.3         | 36.0            | 19.0               | 100       | 112 | 132 | 160 | 180 | 200 |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 107.74 | 13.0                                            | 5188                                             | 7.50                                     | 4.3         | 36.0            | 19.0               | 100       | 112 | 132 | 160 | 180 | 200 |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 95.77  | 14.6                                            | 5103                                             | 8.30                                     | 4.3         | 36.0            | 19.0               | 100       | 112 | 132 | 160 | 180 | 200 |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 78.53  | 17.8                                            | 4941                                             | 9.80                                     | 4.3         | 36.0            | 19.0               | 100       | 112 | 132 | 160 | 180 | 200 |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 72.25  | 19.4                                            | 4546                                             | 9.80                                     | 4.3         | 36.0            | 19.0               | 100       | 112 | 132 | 160 | 180 | 200 |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 66.62  | 21.0                                            | 3550                                             | 8.30                                     | 4.3         | 36.0            | 19.0               | 100       | 112 | 132 | 160 | 180 | 200 |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 56.84  | 24.6                                            | 3284                                             | 9.00                                     | 4.3         | 36.0            | 19.0               | 100       | 112 | 132 | 160 | 180 | 200 |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 50.26  | 27.9                                            | 3130                                             | 9.70                                     | 4.3         | 35.0            | 19.0               | 100       | 112 | 132 | 160 | 180 | 200 |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 44.77  | 31.3                                            | 3765                                             | 13.10                                    | 4.3         | 36.0            | 19.0               |           |     | 132 | 160 | 180 | 200 |  |  |
| <b>D 702</b><br><b>M 702</b><br><br><br>+<br><b>IEC - PAM</b><br><br> | 39.00  | 35.9                                            | 3960                                             | 15.50                                    | 4.2         | 30.0            | 17.0               |           |     | 132 | 160 | 180 |     |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 35.88  | 39.0                                            | 3761                                             | 16.00                                    | 4.1         | 31.0            | 18.0               |           |     | 132 | 160 | 180 |     |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 31.67  | 44.2                                            | 3672                                             | 17.70                                    | 4.1         | 31.0            | 18.0               |           |     | 132 | 160 | 180 |     |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 29.13  | 48.1                                            | 3473                                             | 18.20                                    | 4.1         | 32.0            | 19.0               |           |     | 132 | 160 | 180 |     |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 24.96  | 56.1                                            | 2927                                             | 17.90                                    | 4.1         | 33.0            | 19.0               |           |     | 132 | 160 | 180 |     |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 22.39  | 62.5                                            | 3110                                             | 21.20                                    | 3.9         | 27.0            | 16.0               |           |     | 132 | 160 | 180 | 200 |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 20.27  | 69.1                                            | 2709                                             | 20.40                                    | 3.8         | 26.0            | 15.0               |           |     | 132 | 160 | 180 |     |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 19.21  | 72.9                                            | 2957                                             | 23.50                                    | 3.8         | 26.0            | 15.0               |           |     | 132 | 160 | 180 | 200 |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 15.95  | 87.8                                            | 2790                                             | 26.70                                    | 3.8         | 27.0            | 16.0               |           |     | 132 | 160 | 180 |     |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 14.68  | 95.4                                            | 2645                                             | 27.50                                    | 3.8         | 27.0            | 16.0               |           |     | 132 | 160 | 180 |     |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 12.60  | 111.1                                           | 2509                                             | 30.40                                    | 3.5         | 24.0            | 14.0               |           |     | 132 | 160 | 180 |     |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 11.59  | 120.8                                           | 2369                                             | 31.20                                    | 3.2         | 21.0            | 12.0               |           |     | 132 | 160 | 180 |     |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 10.17  | 137.7                                           | 2272                                             | 34.10                                    | 3.1         | 21.0            | 12.0               |           |     | 132 | 160 | 180 | 200 |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 9.36   | 149.6                                           | 2146                                             | 35.00                                    | 3.1         | 21.0            | 12.0               |           |     | 132 | 160 | 180 | 200 |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 8.06   | 173.7                                           | 1827                                             | 34.60                                    | 3.1         | 22.0            | 13.0               |           |     | 132 | 160 | 180 |     |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 7.22   | 193.9                                           | 1864                                             | 39.40                                    | 3.1         | 22.0            | 13.0               |           |     |     | 160 | 180 | 200 |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 6.64   | 210.8                                           | 1770                                             | 40.70                                    | 2.6         | 19.0            | 11.0               |           |     |     | 160 | 180 | 200 |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 6.28   | 222.9                                           | 1753                                             | 42.60                                    | 2.6         | 19.0            | 11.0               |           |     |     | 160 | 180 | 200 |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 5.78   | 242.2                                           | 1651                                             | 43.60                                    | 2.6         | 19.0            | 11.0               |           |     |     | 160 | 180 | 200 |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 4.62   | 303.0                                           | 1362                                             | 45.00                                    | 2.6         | 20.0            | 11.0               |           |     |     | 160 | 180 | 200 |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                  | 4.02   | 348.3                                           | 1254                                             | 47.60                                    | 2.6         | 20.0            | 11.0               |           |     |     | 160 | 180 | 200 |  |  |